KiCad

The KiCad Team

Table of Contents

Einleitung	2
System Requirements	2
KiCad Dateien und Ordner	2
Installing and Upgrading KiCad	5
Importing settings	5
Migrating files from previous versions	5
Using KiCad project manager	7
Project manager window	7
Die Projektübersicht	7
Side toolbar	8
Creating a new project	8
Importing a project from another EDA tool	9
Saving and loading project archives	9
KiCad configuration 1	1
Common preferences 1	1
Mouse and touchpad preferences 1	3
Hotkey preferences	4
Paths configuration	5
Libraries configuration 1	7
Projekt Vorlagen:	8
Using templates 1	8
Template locations	9
Erstellen von Vorlagen 1	9
Plugin and Content Manager 2	1
Actions reference	2
KiCad Project Manager 2	2

Referenz Handbuch

Copyright

This document is Copyright © 2010-2024 by its contributors as listed below. You may distribute it and/or modify it under the terms of either the GNU General Public License (http://www.gnu.org/licenses/gpl.html), version 3 or later, or the Creative Commons Attribution License (http://creativecommons.org/licenses/by/3.0/), version 3.0 or later.

Alle Markenrechtsnamen in diesem Guide gehören den rechtmäßigen Eigentümern.

Beitragende

Jean-Pierre Charras, Fabrizio Tappero, Jon Evans.

Übersetzung

Carsten Schönert <c.schoenert@t-online.de>, 2016

Feedback

The KiCad project welcomes feedback, bug reports, and suggestions related to the software or its documentation. For more information on how to sumbit feedback or report an issue, please see the instructions at https://www.kicad.org/help/report-an-issue/

Einleitung

KiCad is an open-source software suite for creating electronic circuit schematics and printed circuit boards (PCBs). KiCad supports an integrated design workflow in which a schematic and corresponding PCB are designed together, as well as standalone workflows for special uses. KiCad also includes several utilities to help with circuit and PCB design, including a PCB calculator for determining electrical properties of circuit structures, a Gerber viewer for inspecting manufacturing files, and an integrated SPICE simulator for inspecting circuit behavior.

KiCad runs on all major operating systems and a wide range of computer hardware. It supports PCBs with up to 32 copper layers and is suitable for creating designs of all complexities. KiCad is developed by a volunteer team of software and electrical engineers around the world with a mission of creating free and open-source electronics design software suitable for professional designers.

The latest version of this documentation is available at https://docs.kicad.org.

System Requirements

KiCad is capable of running on a wide variety of hardware and operating systems, but some tasks may be slower or more difficult on lower-end hardware. For the best experience, a dedicated graphics card and display with 1920x1080 or higher resolution is recommended.

Please check the KiCad website for the latest system requirements: https://kicad.org/help/system-requirements/

KiCad Dateien und Ordner

KiCad benutzt und erstellt folgende spezifischen Dateierweiterungen (und Ordner) für die Schaltplan und Leiterplattenbearbeitung.

Project files

*.kicad_pro	Project file, containing settings that are shared between the schematic and PCB
*.pro	Legacy (KiCad 5.x and earlier) project file. Can be read and will be converted to a .kicad_pro file by the project manager.

Schematic editor files

*.kicad_sch	Schematic files containing all info and the components themselves.	
*.kicad_sym	Schematic symbol library file, containing the component descriptions: graphic shape, pins, fields.	
*.sch	Legacy (KiCad 5.x and earlier) schematic file. Can be read and will be converted to a .kicad_sch file on write.	
*.lib	Legacy (KiCad 5.x and earlier) schematic library file. Can be read but not written.	
*.dcm	Legacy (KiCad 5.x and earlier) schematic library documentation. Can be read but not written.	
*-cache.lib	Legacy (KiCad 5.x and earlier) schematic component library cache file. Required for proper loading of a legacy schematic (.sch) file.	
sym-lib-table	Symbol library table: list of symbol libraries available in the schematic editor.	

Board editor files and folders

*.kicad_pcb	Board file containing all info but the page layout.
*.pretty	Footprint library folders. The folder itself is the library.
*.kicad_mod	Footprint files, containing one footprint description each.
*.kicad_dru	Design rules file, containing custom design rules for a certain .kicad_pcb file.
*.brd	Legacy (KiCad 4.x and earlier) board file. Can be read, but not written, by the current board editor.
*.mod	Legacy (KiCad 4.x and earlier) footprint library file. Can be read by the footprint or the board editor, but not written.
fp-lib-table	Footprint library table: list of footprint libraries available in the board editor.
fp-info-cache	Cache to speed up loading of footprint libraries. Does not need to be distributed with the project or put under version control.

Common files

*.kicad_prl	Local settings for the current project; helps KiCad remember the last used settings such as layer visibility or selection filter. May not need to be distributed with the project or put under version control.
*.kicad_wks	Page layout (drawing border and title block) description file
*.net	Netlist file created from the schematic, and read by the board editor. Note that the recommended workflow for transferring information from the schematic to the board does not require the use of netlist files.
*.cmp	Association between components used in the schematic and their footprints. It can be created by the Board Editor and imported by the Schematic Editor. Its purpose is to import changes from the board to the schematic, for users who change footprints in the Board Editor (for instance using Exchange Footprints command) and want to import these changes back to the schematic. recommended workflow for transferring information from the board to the schematic does not require the use of .cmp files.

Fabrication and documentation files

*.gbr	Gerber files, for fabrication.
*.drl	Drill files (Excellon format), for fabrication.
*.pos	Position files (ASCII format), for automatic insertion machines.
*.rpt	Report files (ASCII format), for documentation.
*.ps	Plot files (Postscript), for documentation.
*.pdf	Plot files (PDF format), for documentation.
*.svg	Plot files (SVG format), for documentation.
*.dxf	Plot files (DXF format), for documentation.
*.plt	Plot files (HPGL format), for documentation.

Storing and sending KiCad files

KiCad schematic and board files contain all the schematic symbols and footprints used in the design, so you can back up or send these files by themselves with no issue. Some important design information is stored in the project file (.kicad_pro), so if you are sending a complete design, make sure to include it.

Some files, such as the project-local settings file (.kicad_prl) and the fp-info-cache file, are not necessary to send with your project. If you use a version control system such as Git to keep track of your KiCad projects, you may want to add these files to the list of ignored files so that they are not tracked.

Installing and Upgrading KiCad

Importing settings

Each major release of KiCad has its own configuration, so that you may run multiple KiCad versions on the same computer without the configurations interfering. The first time you run a new version of KiCad, you will be asked how to initialize the settings:

KI 🗶	Configure KiCad Settings Path	~
Welcome to KiCad 7.0!		
How would you like to co	nfigure KiCad?	
O Import settings from	a previous version at:	
/home/graham/.con	fig/kicad/6.99	
 Start with default set 	tings	
	© Cancel	√ ОК
	G Cancer	- OK

If a previous version of KiCad is detected, you will have the option to import the settings from that version. The location of the previous configuration files is detected automatically, but you may override it to choose another location if desired.

Please note that, the schematic symbol and footprint library tables from the previous version of KiCad will **not** be imported.

You may also choose to start with default settings if you do not want to import settings from a previous version.

KiCad stores the settings files in a folder inside your user directory. Each KiCad version will store its settings in a subfolder of that folder (except for KiCad 5.1 and earlier, which did not use subfolders). Those folders are:

Windows	%APPDATA%\kicad
Linux	~/.config/kicad
macOS	/Users/ <username>/Library/Preferences/kicad</username>

Migrating files from previous versions

Modern versions of KiCad can open files created in earlier versions, but can only write files in the latest formats. This means that in general, there are no special steps to migrate files from a previous version besides opening the files. In some cases, the file extension for a file has changed from one KiCad version to the next. After opening these files, they will be saved in the new format with the new file extension. The old files will not be deleted automatically.

The schematic editor documentation describes several particular considerations for opening legacy schematics.

In general, files created or modified by one version of KiCad **cannot** be opened by older versions of KiCad. For this reason, it is important to keep backup copies of your projects when testing a new KiCad release, until you are confident that you will not need to use the older KiCad version anymore.

NOTE

Hotkey configurations are not imported from previous versions at this time. You can manually import hotkey configurations by copying the various ***.hotkeys** files from the old version configuration directory to the new one. If you do so, please note that KiCad will not automatically detect conflicts such as one key being assigned to multiple actions.

Using KiCad project manager


KiCad project manager (kicad or kicad.exe) is a tool which can easily run the other tools (schematic and board editors, Gerber viewer and utility tools) when creating a design.

Das Starten der jeweiligen Tools aus dem KiCad Projektmanager heraus hat einige Vorteile:

- Quervergleiche zwischen Schaltplaneditor und Platineneditor
- synchronization of the design between the schematic editor and board editor (without creating netlist files)

KiCad currently only supports having one project open at a time. When running the schematic and board editors from the KiCad project manager, you can only edit the schematics and board associated with the open project. When these tools are run in *standalone* mode, you can open any file in any project, but cross probing between tools can give strange results.


Project manager window



The KiCad project manager window is composed of a tree view on the left showing the files associated with the open project, and a launcher on the right containing shortcuts to the various editors and tools.

Die Projektübersicht

The tree view shows a list of files inside the project folder. Double-clicking on a file in the tree view will open it in the associated editor. Right-clicking on a file will open a context menu with some file manipulation commands.



NOTE

Only files that KiCad understands how to open are displayed in the project tree view.

Side toolbar

The toolbar on the left side of the window provides shortcuts for common project operations:

*	Create a new project.
8	Open an existing project.
i	Create a zip archive of the whole project. This includes schematic files, libraries, PCB, etc.
Extract a project zip archive into a directory. Files in the destination directory will b overwritten.	
\mathbb{C}	Refresh the tree view, to detect changes made on the filesystem.
G	Open the project working directory in a file explorer.

Creating a new project

Most KiCad designs start with the creation of a project. There are two ways to create a project from the KiCad project manager: you may create an empty project, or create a project based on an existing template. This section will cover the creation of a new, empty project. Creating projects from templates is covered in the Project Templates section.

To create a new project, use the **New Project...** command in the **File** menu, click the **New Project** button in the top toolbar, or use the keyboard shortcut (Ctrl+N by default).

You will be prompted for a name to give your project. By default, a directory will be created for your project with the same name. For example, if you enter the name MyProject, KiCad will create the directory MyProject and the project file MyProject/MyProject.kicad_pro inside it.

If you already have a directory to store your project files in, you can uncheck the *Create a new directory for the project* checkbox in the **New Project** dialog.

example.kicad_pro	KiCad project file.
example.kicad_sch	Main schematic file.
example.kicad_pcb	Printed circuit board file.

Once you select the name of your project, KiCad will create the following files inside the project directory:

Importing a project from another EDA tool

KiCad is able to import files created by some other software packages. Currently the following types of project are supported:

*.sch, *.brd	Eagle 6.x or newer (XML format)	
*.csa, *.cpa	CADSTAR archive format	

To import a project from one of these tools, choose the appropriate option from the **Import Non-KiCad Project** submenu of the **File** menu.

You will be prompted to select either a schematic or a board file in the import file browser dialog. The imported schematic and board files should have the same base file name (e.g. project.sch and project.brd). Once the requested files are selected, you will be asked to select a directory to store the resulting KiCad project.

Saving and loading project archives

You can archive your project's files into a zip archive with the Archive tool (File \rightarrow Archive Project...).

You can also unarchive a project using the Unarchive tool (**File** \rightarrow **Unarchive Project...**). When you unarchive a project into the currently loaded project directory, the project will be reloaded automatically to reflect any changes that were in the archived version of the project.

The archive tool saves the following files from your project folder into the archive:

<pre>*.kicad_prl, *.kicad_pro, *.kicad_sch, *.kicad_sym, *.kicad_pcb, *.kicad_mod, *.kicad_dru, *.kicad_wks, *.wbk, *.fp-lib-table, *.sym-lib-table</pre>	KiCad design files
<pre>*.pro, *.sch, *.lib, *.dcm, *.cmp, *.brd, *.mod</pre>	Legacy KiCad design files
*.stp, *.step	3D models
*.g?, *.g??, *.gm??, *.gbrjob	Gerber files
*.pos, *.drl, *.nc, *.xnc, *.d356, *.rpt	Manufacturing files
*.net	Netlists
*.ру	Python scripts
*.pdf, *.txt	Documentation files
*.cir, *.sub, *.model	SPICE models
*.ibs, *.pkg	IBIS models

KiCad configuration

The KiCad preferences can always be accessed from the **Preferences** menu, or by using the hotkey (default Ctrl + .). The Preferences dialog is shared between the running KiCad tools. Some preferences apply to all tools, and some are specific to a certain tool (such as the schematic or board editor).

Common preferences

K	*	Preferences		~ ^ X
	Common Mouse and Touchpad	Antialiasing	Editing	
	Hotkeys Symbol Editor	Accelerated graphics: High Quality Antialiasi >	Warp mouse to origin of moved First hotkey selects tool	l object
	Schematic Editor Footprint Editor	Fallback graphics: No Antialiasing		
> >	PCB Editor 3D Viewer	Helper Applications	Session Remember open files for next	project launch
	Gerber Viewer Drawing Sheet Editor	Text editor: vim	Auto save: 10 —	+ minutes
	Plugin and Content Manager	System default PDF viewer Other:	File history size: 9 —	+
		User Interface	3D cache file duration: 30 –	+ days
		Show icons in menus	Project Backup	
		Show scrollbars in editors Focus follows mouse between schematic and PCB editors	Automatically backup projects	
		Icon theme: Light Dark Automatic	Create backups when auto save	25 — +
		100 Icon scale:	Maximum backups per day:	5 - +
		50 275	Minimum time between backups:	5 - + minutes
		High-contrast mode dimming factor: 80 %	Maximum total backup size:	100 — + MB
Re	eset Common to Defaults			S Cancel ✓ OK

Accelerated graphics antialising: KiCad can use different methods to prevent aliasing (jagged lines) when rendering using a graphics card. Different methods may look better on different hardware, so you may want to experiment to find the one that looks best to you.

Fallback graphics antialiasing: KiCad can also apply antialiasing when using the fallback graphics mode. Enabling this feature may result in poor performance on some hardware.

Text editor: Choose a text editor to use when opening text files from the project tree view.

PDF viewer: Choose a program to use when opening PDF files.

Show icons in menus: Enables icons in drop-down menus throughout the KiCad user interface.

NOTE Icons in menus are not displayed on some operating systems.

Show scrollbars in editors: When enabled, scrollbars are displayed next to the editing canvases in each tool. When disabled, scrollbars are not shown.

Focus follows mouse between schematic and PCB editors: When enabled, the window under the mouse cursor will automatically become focused.

Icon scale: Sets the size of the icons used in menus and buttons throughout KiCad. Choose *Automatic* to pick an appropriate icon scale automatically based on your operating system settings.

Icon theme: Sets whether to use the icon theme designed for light window backgrounds or dark window backgrounds. The default setting of Automatic will choose the theme based on the lightness of the operating system window theme.

High-contrast mode dimming factor: Sets how much non-focused items are dimmed in high-contrast display mode.

Warp mouse to origin of moved object: When enabled, the mouse cursor will be repositioned (warped) to the origin of an object when you start a move command on that object.

First hotkey selects tool: When disabled, pressing the hotkey for a command such as *Add Wire* will immediately start the command at the current cursor location. When enabled, pressing the hotkey the first time will just select the *Add Wire* tool but will not immediately begin a wire.

Remember open files for next project launch: When enabled, KiCad will automatically re-open any files that were previously open when a project is re-opened.

Auto save: When editing schematics and board files, KiCad can automatically save your work periodically. Set to 0 to disable this feature.

File history size: Configure the number of entries in the list of recently-opened files

3D cache file duration: KiCad creates a cache of 3D models in order to speed up the 3D viewer. You can configure how long to keep this cache before deleting old files.

Automatically backup projects: When enabled, KiCad projects will be archived to ZIP files automatically according to the settings below. The archives will be stored in a subfolder of the project folder. Backups are created when saving files in the project.

Create backups when auto save occurs: When enabled, a backup will be created every time an automatic file save occurs (if the backup is permitted by the settings below). This setting has no effect if the auto save interval is set to 0 (disabled).

Maximum backups to keep: When creating a new backup, the oldest backup file will be deleted to keep the total number of backup files below this limit.

Maximum backups per day: When creating a new backup, the oldest backup file created on the current day will be deleted to stay below this limit.

Minimum time between backups: If backup is triggered (for example, by saving a board file), the backup will not be created if an existing backup file is newer than this limit.

Maximum total backup size: When creating a new backup file, the oldest backup files will be deleted to keep the total size of the backup files directory below this limit.

Mouse and touchpad preferences

K	*		Preferences	~ ^ X
	Common Mouse and Touchpad	Pan and Zoom		
	Hotkeys	🗹 Center and warp cu	irsor on zoom	
	Symbol Editor	Use zoom accelera	tion	
>	Schematic Editor	Zeene encode	Automatic Auto pan speed:	
>	Footprint Editor	Zoom speed:	Automatic Auto pan speed:	
>	PCB Editor 3D Viewer			
>		Drag Gestures		
>	Drawing Sheet Editor	Left button drag:	Drag selected objects; otherwise draw selection rectangle V	
	Plugin and Content Manager	Left button drag.	brag selected objects, otherwise draw selection rectangle ~	
		Middle button drag:	Pan 🗸	
		Right button drag:	Pan ~	
		Scroll Gestures Vertical touchpad or sc Zoom: • Pan up/down: • Pan left/right: •	Ctrl Shift Alt O O Reset to Mouse Defaults Reset to Trackpad Defaults Important movement	
R	eset Mouse and Touchpad to De	faults		OK

Center and warp cursor on zoom: When enabled, zooming using the hotkeys or mouse wheel will cause the view to be centered on the cursor location.

Use zoom acceleration: When enabled, scrolling the mouse wheel or touchpad faster will cause the zoom to change faster.

Zoom speed: Controls how much the zoom changes for a given amount of scrolling the mouse wheel or touchpad. Use *Automatic* to set a default value depending on your operating system.

Automatically pan while moving object: When enabled, the view can be panned while moving an object by moving close to the edge of the canvas.

Auto pan speed: Controls how fast the canvas pans while moving an object.

Mouse buttons: You can set the behavior of dragging the middle and right mouse buttons to zoom the view, pan the view, or have no effect. You can also set the behavior of dragging the left mouse button depending on whether or not any objects are already selected in the editing canvas.

NOTE The left mouse button is always used for selecting and manipulating objects.

Mouse wheel and touchpad scrolling: You can set the behavior of scrolling the mouse wheel or vertical motion of the touchpad while pressing certain modifier keys.

Pan left/right with horizontal movement: When enabled, you can pan the view using the touchpad or horizontal scroll wheel (if present on your mouse).

Hotkey preferences

*	Preference	S	~ ^
Common	Q Type filter text		
Mouse and Touchpad	Y Type filter text		
Hotkeys		Hatlas	Description
 Symbol Editor Schematic Editor 	Command (double-click to edit)	Hotkey	Description
> Footprint Editor	Exclude Marker		Mark current violation in Checker window as an ex
> PCB Editor	Next Marker		Go to next marker in Checker window as an ex
> 3D Viewer			
> Gerber Viewer	Previous Marker		Go to previous marker in Checker window
> Drawing Sheet Editor	Add Library	Determine	Add an existing library folder
Plugin and Content Manager	Click	Return	Performs left mouse button click
	Double-click	End	Performs left mouse button double-click
	Cursor Down	Down	
	Cursor Down Fast	Ctrl+Down	
	Cursor Left	Left	
	Cursor Left Fast	Ctrl+Left	
	Cursor Right	Right	
	Cursor Right Fast	Ctrl+Right	
	Cursor Up	Up	
	Cursor Up Fast	Ctrl+Up	
	Switch to Fast Grid 1	Alt+1	
	Switch to Fast Grid 2	Alt+2	
	Switch to Next Grid	N	
	Switch to Previous Grid	Shift+N	
	Grid Properties		Set grid dimensions
	Reset Grid Origin	Z	
	Grid Origin	S	Set the grid origin point
	Inactive Layer View Mode		Toggle inactive layers between normal and dimme
	Inactive Layer View Mode (3-state)	н	Cycle inactive layers between normal, dimmed, an
	Undo All Changes Import Hotkeys		
leset Hotkeys to Defaults			© Cancel ✓ OK

You can use this dialog to customize the hotkeys used to control KiCad. The hotkeys in the *Common* section are shared between every KiCad program. Hotkeys for each specific KiCad program are shown when that program is running. You can assign the same hotkey to a different action in different KiCad programs (for example, the schematic editor and the board editor), but you cannot assign a hotkey to more than one action in the same program.

There are many available commands, and so not all of them have a hotkey assigned by default. You can add a hotkey to any command by double-clicking on the command in the list. If you choose a hotkey that is already assigned to a different command, you can choose to use that hotkey on your chosen command, which will remove the hotkey assignment from the conflicting command.

Changes that you have made to hotkey assignments are shown with a * character at the end of the command name. You can undo changes to a specific command by right-clicking that command and selecting **Undo Changes**, or you can undo all changes with the button below the command list.

Importing hotkeys

Hotkey preferences are stored in .hotkeys files in the KiCad settings directory (see the Settings section for information about where the settings directory is on your operating system). If you have configured KiCad

hotkeys the way you like on one computer, you can transfer that configuration to another computer by importing the appropriate .hotkeys file(s).

Paths configuration

In KiCad, one can define paths using an environment variable. A few environment variables are internally defined by KiCad, and can be used to define paths for libraries, 3D shapes, etc.

This is useful when absolute paths are not known or are subject to change (e.g. when you transfer a project to a different computer), and also when one base path is shared by many similar items. Consider the following which may be installed in varying locations:

- Schematic symbol libraries
- Footprint libraries
- 3D model files used in footprint definitions

For instance, the path to the connect.pretty footprint library, when using the KICAD7_FOOTPRINT_DIR environment variable, would be defined as \${KICAD7 FOOTPRINT DIR}/connect.pretty.

The Preferences - Configure Paths... menu allows you to define paths for some built-in KiCad environment variables, and add your own environment variables to define personal paths, if needed.

KICAD7 3DMODEL DIR Base path of KiCad's standard 3D footprint model library files. The KICAD6_3DMODEL_DIR variable automatically resolves to the same value if it is not separately defined. KICAD7_3RD_PARTY Location for plugins, libraries, and color themes installed by the Plugin and Content Manager. KICAD7_FOOTPRINT_DIR Base path of KiCad's standard footprint library files. Base path of KiCad's standard symbol library files. KICAD7_SYMBOL_DIR KICAD7_TEMPLATE_DIR Location of KiCad's standard project template library files. KICAD_USER_TEMPLATE_DIR Location of personal project templates. SPICE_LIB_DIR Location of personal simulation model libraries. This variable is not defined by default.

KiCad environment variables

Pfad Konfiguration				
	Name Pfadvariante			
1 KICAD_PTEMPLATES /		/usr/share/kicad/template	Hinzufügen	
2	KIGITHUB	https://github.com/KiCad		
3	KISYS3DMOD	/usr/share/kicad/modules/packages3d	Entfernen	
4	KISYSMOD	/usr/share/kicad/modules		
		Hilfe Abbrechen	ОК	

Paths set in the Configure Paths dialog are internal to KiCad and are not visible as environment variables outside of KiCad. They are stored in KiCad's user configuration files.

Paths can also be set as environment variables outside of KiCad, which will override any settings in the user's configuration.

NOTE

You cannot override an environment variable that has been set outside of KiCad by using the Configure Paths dialog. Any variable that has been set externally will be shown as read-only in the dialog.

Note also that the environment variable KIPRJMOD is **always** internally defined by KiCad, and expands to the **current project absolute path**.

For instance, \${KIPRJMOD}/connect.pretty is always the connect.pretty folder (the footprint library) inside **the current project folder**.

The KIPRJMOD variable cannot be changed in the Configure Paths dialog or overridden by an external environment variable.

Advanced environment variables

Some advanced environment variables can be set to customize KiCad's behavior. These variables are not shown in the environment variable configuration and cannot be used in path substitutions. They cannot be modified in the Configure Paths dialog, but they can be overridden by system environment variables.

Changing these variables will not result in KiCad moving any files from the default location to the new location, so if you change these variables you will need to copy any desired settings or files manually.

Additional environment variables:

KICAD_CONFIG_HOME	Base path of KiCad configuration files. Subdirectories will be created within this directory for each KiCad minor version.
KICAD_DOCUMENTS_HOME	Base path of KiCad user-modifiable documents, such as projects, templates, Python scripts, libraries, etc. Subdirectories will be created within this directory for each KiCad minor version. This directory is provided as a suggested user data location, but does not need to be used.

If you modify the configuration of paths, please quit and restart KiCad to avoid any issues in path handling.

Libraries configuration

The **Preferences** \rightarrow **Manage Symbol Libraries...** menu lets you manage the list of symbol libraries (symbol library table).

Likewise, use the **Preferences** \rightarrow **Manage Footprint Libraries...** menu to manage the list of footprint libraries (footprint library table).

For each type of library (symbol and footprint), there are 2 library tables: global and project specific. The global library table is located in the user configuration directory and contains a list of libraries available to all projects. The project-specific library table is optional and contains a list of libraries specific to the project. It is located in the project directory.


Projekt Vorlagen:

Using a project template facilitates setting up a new project with predefined settings. Templates may contain pre-defined board outlines, connector positions, schematic elements, design rules, etc. Complete schematics and/or PCBs used as seed files for the new project may even be included.

Using templates

The **File** → **New Project from Template** menu will open the Project Template Selector dialog:

A single click on a template's icon will display the template information, and a further click on the OK button creates the new project. The template files will be copied to the new project location and renamed to reflect the new project's name.



	X	
Pfad Vorlagen		
/usr/share/kicad/template/	Durchsuchen	Überprüfen
	Abbrechen	OK

Template locations

KiCad looks for system templates in the path defined in the KICAD7_TEMPLATE_DIR path variable, and user templates in the path defined in KICAD_USER_TEMPLATE_DIR. However, you can browse for templates in an arbitrary directory using the **Folder** control at the top of the dialog.

Erstellen von Vorlagen

A KiCad template is simply a directory containing the template project files, as well as some required metadata for the template in a subdirectory named meta. The name of the directory containing the template files determines the name of the template. When you create a project from a template, KiCad copies the template files to the new project directory, renaming them to match the new project name as described below.

All files in the template are copied, with two exceptions:

- Files with names beginning with the . character (dotfiles) are not copied
- The meta directory is not copied

The meta directory must contain an HTML file named info.html, which is displayed in the KiCad template browser and should contain basic information describing the template. Basic HTML features are supported, including images. Any images referenced by info.html should also be stored in the meta directory.

The <title> tag determines the name of the template that is displayed during template selection. Note that the project template name will be cut off if it's too long. This display name does not need to be the same as the template directory name.

Here is a sample info.html file:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML>
<HEAD>
<META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html;</pre>
charset=windows-1252">
<TITLE>Raspberry Pi - Expansion Board</TITLE>
</HEAD>
<BODY LANG="fr-FR" DIR="LTR">
<P>This project template is the basis of an expansion board for the
<A HREF="http://www.raspberrypi.org/" TARGET="blank">Raspberry Pi $25
ARM board.</A> <BR><BR>This base project includes a PCB edge defined
as the same size as the Raspberry-Pi PCB with the connectors placed
correctly to align the two boards. All IO present on the Raspberry-Pi
board is connected to the project through the 0.1" expansion
headers. <BR><BR>The board outline looks like the following:
</P>
<P><IMG SRC="brd.png" NAME="brd" ALIGN=BOTTOM WIDTH=680 HEIGHT=378
BORDER=0><BR><BR><BR>
</P>
<P>(c)2012 Brian Sidebotham<BR>(c)2012 KiCad Developers</P>
</B0DY>
</HTML>
```

Finally, meta can optionally contain an image named icon.png, which will be used as the template's icon in the template selection dialog. The icon should be a 64 x 64 pixel PNG image.

Template file renaming

All files and directories in a template are copied to the new project path when a project is created using a template, except meta and any dotfiles. Files and directories containing the template directory name will be renamed with the new project file name.

For example, using a template named example (left) to create a project named newproject (right), with renamed files shown in **bold**:

Files in template example directory	Files created in project newproject directory
example.kicad_pro	<pre>newproject.kicad_pro</pre>
example.kicad_sch	newproject.kicad_sch
<pre>example.kicad_pcb</pre>	<pre>newproject.kicad_pcb</pre>
<pre>example-first.kicad_sch</pre>	<pre>newproject-first.kicad_sch</pre>
<pre>second-example.kicad_sch</pre>	<pre>second-newproject.kicad_sch</pre>
third.kicad_sch	third.kicad_sch
third.kicad_pcb	third.kicad_pcb

A template does not need to contain a complete project. If a required project file is missing, KiCad will create the file using the default create project behavior:

Files created in newproject directory
<pre>newproject.kicad_sch</pre>
<pre>first-newproject.kicad_sch</pre>
<pre>first-newproject.kicad_pcb</pre>
<pre>second-newproject.kicad_sch</pre>
<pre>second-newproject.kicad_pcb</pre>
<pre>newproject.kicad_pro (default)</pre>
<pre>newproject.kicad_pcb (default)</pre>

As an exception to the template name renaming rule, if the template contains one project file (.kicad_pro) and its name doesn't match the template name, KiCad will do the renaming based on that project file name instead:

Files in template example directory	Files created in newproject directory
example.kicad_sch	example.kicad_sch
example.kicad_pcb	<pre>example.kicad_pcb</pre>
<pre>first-example.kicad_pro</pre>	<pre>newproject.kicad_pro</pre>
<pre>first-example.kicad_sch</pre>	<pre>newproject.kicad_sch</pre>
<pre>first-example.kicad_pcb</pre>	<pre>newproject.kicad_pcb</pre>
<pre>second-example.kicad_sch</pre>	<pre>second-example.kicad_sch</pre>
<pre>second-example.kicad_pcb</pre>	<pre>second-example.kicad_pcb</pre>

NOTE It is not recommended to create a template with multiple project files.

Plugin and Content Manager

NOTE

This section of the KiCad documentation has not yet been written. We appreciate your patience as our small team of volunteer documentation writers work to update and expand the documentation.

Actions reference

Below is a list of every available **action** in the KiCad Project Manager: a command that can be assigned to a hotkey.

KiCad Project Manager

The actions below are available in the KiCad Project Manager. Hotkeys can be assigned to any of these actions in the **Hotkeys** section of the preferences.

Action	Default Hotkey	Description
Close Project		Close the current project
Image Converter	Ctrl + B	Convert bitmap images to schematic or PCB components
Drawing Sheet Editor	Ctrl + Y	Edit drawing sheet borders and title block
Footprint Editor	Ctrl + F	Edit PCB footprints
PCB Editor	Ctrl + P	Edit PCB
Schematic Editor	Ctrl + E	Edit schematic
Symbol Editor	Ctrl + L	Edit schematic symbols
New Project from Template	Ctrl + T	Create new project from template
New Project	Ctrl + N	Create new blank project
Open Demo Project		Open a demo project
Open Project	Ctrl + 0	Open an existing project
Open Text Editor		Launch preferred text editor
Plugin and Content Manager	Ctrl + M	Run Plugin and Content Manager
Calculator Tools		Run component calculations, track width calculations, etc.
Gerber Viewer	Ctrl + G	Preview Gerber output files